



Atik Flooring Solutions

ATIK

WET ROOM VINYL SHEET



Atik wet room vinyl sheet is a range of high-quality flooring developed specifically for use in wet rooms in the home but also for commercial use in transition areas such as changing rooms.

Ideal for developers, housing associations and local authorities, wet room vinyl sheet combines barefoot and footwear slip resistance.



WHY CHOOSE **ATIK WET ROOM VINYL SHEET**


Our wet room vinyl sheet range comes in a number of fresh and contemporary colours to suit all tastes and homes, combining functionality with beautiful design. Suitable for all types of wet room application, the product offers both footwear and barefoot slip resistance, where both are likely and frequently to take place. With a subtle soil-hiding design, wet room vinyl sheet is also suitable for transition areas and wheelchair use.

- Easy to clean and maintain
- Fresh and contemporary colours
- Barefoot and footwear slip resistant
- Ideal for continuously wet areas
- Hygienic and protective



COLOUR RANGE

The colours are representative of the range,
please get in touch for samples.



Atik Wet Room Vinyl Sheet

Technical Specification

Total thickness	EN ISO 24346	2.0 mm
Surface finish		PUR
Wear layer thickness	EN ISO 24340	0.70 mm
Collection size		14/6
Commercial size	EN ISO 10874	Class 34
Light industrial use	EN ISO 10874	Class 43
Roll width	EN ISO 24341	2.0 m
Roll length	EN ISO 24341	≥ 27 m
Total weight	EN ISO 23997	2750 g/m ²
Impact sound reduction	EN ISO 717-2	5 dB
Dimension stability	EN ISO 23999	≤ 0.1%
Castor chair continuous use	ISO 4918	Pass
Residual indentation	EN ISO 24343-1	≤ 0.10 mm / 0.04 mm
Colour fastness to light	EN ISO 105 B-02	≥ 6
Indoor air emissions: TVOC after 28 days	EN 16516	≤ 0.01 mg/m ³
Resistance to chemicals	EN ISO 26987	∅ Very good
Flexibility	EN ISO 24344	10mm
Use in wet areas	EN 13533	Yes
	DIN 51130	R10
	EN 13845 Annex C	ESb
	EN 13845 Annex D	Pass
Slip resistance	DIN 51097	Class B
	TRRL Pendulum slider 96	≥ 36
	TRRL Pendulum slider 55	≥ 36
	Surface roughness Rz	≥ 20
Reaction to fire	EN 13501-1	B-s1, G, Cs
Slip resistance	EN 13893	≥ 0.30
Thermal conductivity	EN 12524	0.25 W/mK
Body voltage	EN 1815	≤ 2.0 kV



Atik Flooring Solutions

Atik Flooring Solutions are nationwide suppliers of high-quality, high performance flooring solutions in the UK. With over 20 years' experience, Atik not only supply flooring but offer in depth support and consultancy to clients to ensure the right product specification for their application.

Get in touch to find out more about our specialist and innovative flooring solutions.

033 0088 1243

sales@atikflooringsolutions.co.uk

www.atikflooringsolutions.co.uk